

## Freeform Search

---

<b>Database:</b>	<input type="checkbox"/> US Pre-Grant Publication Full-Text Database <input type="checkbox"/> US Patents Full-Text Database <input type="checkbox"/> US OCR Full-Text Database <input type="checkbox"/> EPO Abstracts Database <input type="checkbox"/> JPO Abstracts Database <input type="checkbox"/> Derwent World Patents Index <input type="checkbox"/> IBM Technical Disclosure Bulletins
<b>Term:</b>	<input type="text" value="((return\$3 or retriev\$3 or receiv\$3 or extract\$3) near cookie) with (api or interface or dll)"/> <div style="display: flex; justify-content: space-between; width: 100%;"> <span><input type="button" value="Up"/></span> <span><input type="button" value="Down"/></span> </div>
<b>Display:</b>	<input type="text" value="10"/> <b>Documents in Display Format:</b> <input type="text"/> <b>Starting with Number:</b> <input type="text" value="1"/>
<b>Generate:</b>	<input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image

---

---

### Search History

---

**DATE:** Monday, September 11, 2006    [Purge Queries](#)    [Printable Copy](#)    [Create Case](#)

<u>Set</u>	<u>Query</u>	<u>Hit</u>	<u>Set</u>
<u>Name</u>		<u>Count</u>	<u>Name</u>
side by side			result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L135</u>	L95 and L134	14	<u>L135</u>
<u>L134</u>	((return\$3 or retriev\$3 or receiv\$3 or extract\$3) near cookie) with (api or interface or dll)	49	<u>L134</u>
<u>L133</u>	((disconnected or off\$1line) near (application or program or module)) and L132	8	<u>L133</u>
<u>L132</u>	((return\$3 or retriev\$3 or receiv\$3 or extract\$3) near cookie)	1362	<u>L132</u>
<u>L131</u>	((disconnected or off\$1line) near (application or program or module)) and (com near (object or component))	23	<u>L131</u>
<u>L130</u>	((disconnected or off\$1line) near (application or program or module)) and (register\$6 near (api or interface))	38	<u>L130</u>
<u>L129</u>	(register\$6 near (api or interface)) near table	8	<u>L129</u>
	<i>DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR</i>		
<u>L128</u>	MULONAS-DENNIS-M-JR!	1	<u>L128</u>
<u>L127</u>	SMITH-J-DANIEL!	8	<u>L127</u>
<u>L126</u>	VADELLA-KENNETH-ALEXANDER!	1	<u>L126</u>

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

<u>L125</u>	cookie with environment near variable	27	<u>L125</u>
<u>L124</u>	(activex or (com near (object or component))) and L123	43	<u>L124</u>
<u>L123</u>	cookie and (register\$6 near (api or interface))	120	<u>L123</u>
<u>L122</u>	cookie with (identif\$6 near (api or interface))	3	<u>L122</u>
<u>L121</u>	cookie near (api or interface)	56	<u>L121</u>
<u>L120</u>	cookie with register\$6 near (api or interface)	10	<u>L120</u>
<u>L119</u>	cookie with ((api or interface) near pointer)	4	<u>L119</u>
<u>L118</u>	(activex or (com near (object or component))) and L117	115	<u>L118</u>
<u>L117</u>	((return\$3 or retriev\$3 or receiv\$3) near cookie)	1278	<u>L117</u>
<u>L116</u>	(activex or (com near (object or component))) and L114	7	<u>L116</u>
<u>L115</u>	L95 and L114	11	<u>L115</u>
<u>L114</u>	(disconnected or off\$1line) with (cookie or ((return\$3 or retriev\$3 or receiv\$3) near (interface or api or dll)))	102	<u>L114</u>

*DB=USPT; PLUR=YES; OP=OR*

<u>L113</u>	'5638504'.pn.	1	<u>L113</u>
<u>L112</u>	'5724589'.pn.	1	<u>L112</u>
<u>L111</u>	'6212676'.pn.	1	<u>L111</u>

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

<u>L110</u>	(disconnected or off\$1line) and L109	94	<u>L110</u>
<u>L109</u>	((activex or com) near (object or component)) and ((api or interface) near pointer)	382	<u>L109</u>
<u>L108</u>	((disconnected or off\$1line) near (application or program or module)) and L106	3	<u>L108</u>
<u>L107</u>	((disconnected or control\$4) near (application or program or module)) and L106	167	<u>L107</u>
<u>L106</u>	(activex or (com near (object or component))) and ((api or interface) near pointer)	424	<u>L106</u>
<u>L105</u>	(activex or (com near (object or component))) with ((api or interface) near pointer)	85	<u>L105</u>
<u>L104</u>	L95 and L101	21	<u>L104</u>
<u>L103</u>	L69 and L101	479	<u>L103</u>
<u>L102</u>	activex and L101	6	<u>L102</u>
<u>L101</u>	(register\$5 near (api or interface or dll)) with (bridge or communicat\$3)	479	<u>L101</u>
<u>L100</u>	L95 and L99	17	<u>L100</u>
<u>L99</u>	L69 and L98	66	<u>L99</u>
<u>L98</u>	(activex or web near pages) near (api or interface or dll or bridge)	1950	<u>L98</u>
<u>L97</u>	L69 and L96	4	<u>L97</u>
<u>L96</u>	L89 and L95	164	<u>L96</u>
<u>L95</u>	L90 or L91 or L92 or L93 or L94	28723	<u>L95</u>
<u>L94</u>	(717/120   717/121).ccls.	640	<u>L94</u>
<u>L93</u>	(719/311   719/328   719/329).ccls.	1533	<u>L93</u>

<u>L92</u>	(715/733  715/734  715/738  715/751  715/752).ccls.	1615	<u>L92</u>
<u>L91</u>	(707/10).ccls.	6185	<u>L91</u>
<u>L90</u>	(709/201  709/202  709/203  709/204  709/205  709/206  709/207  709/217  709/218  709/219).ccls.	21280	<u>L90</u>
<u>L89</u>	(activex or web near pages) near (communicat\$3 or bridge)	705	<u>L89</u>
<u>L88</u>	((instantiat\$3 or creat\$3) near ((web or html) near page)) with ((off\$1line or disconnected) near (application or module or program))	1	<u>L88</u>
<u>L87</u>	L69 and L86	25	<u>L87</u>
<u>L86</u>	activex near (communicat\$3 or api or interface or librар\$3 or dll)	287	<u>L86</u>
<u>L85</u>	L84	18	<u>L85</u>
<u>L84</u>	((disconnected or control\$4) near (application or program or module)) with ((receiv\$3 or retriev\$3) near pointer)	18	<u>L84</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L83</u>	'5968131'.pn.	1	<u>L83</u>
<u>L82</u>	'6205448'.pn.	1	<u>L82</u>
<u>L81</u>	'6205448'.pn.	1	<u>L81</u>
<u>L80</u>	'6252889'.pn.	1	<u>L80</u>
<u>L79</u>	'6308201'.pn.	1	<u>L79</u>
<u>L78</u>	'6131116'.pn.	1	<u>L78</u>
<u>L77</u>	'6131116'.pn.	1	<u>L77</u>
<u>L76</u>	'6308201'.pn.	1	<u>L76</u>
<u>L75</u>	'6151606'.pn.	1	<u>L75</u>
<u>L74</u>	'6151606'.pn.	1	<u>L74</u>
<u>L73</u>	'6161146'.pn.	1	<u>L73</u>
<u>L72</u>	'6308201'.pn.	1	<u>L72</u>
<u>L71</u>	'6308201'.pn.	1	<u>L71</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L70</u>	L68 and L69	39	<u>L70</u>
<u>L69</u>	register\$5 near (api or interface or dll or librар\$3) or plac\$3 near pointer	9272	<u>L69</u>
<u>L68</u>	((disconnect\$3 or offline) near (application or program or module))	2976	<u>L68</u>
<u>L67</u>	project near hosting	14	<u>L67</u>
<u>L66</u>	project near hosting and activeX	2	<u>L66</u>
<u>L65</u>	project\$1point	4	<u>L65</u>
<u>L64</u>	cookie with ((pointer or location) near (api or interface or dll or librар\$3))	14	<u>L64</u>
<u>L63</u>	cookie with ((pointer or locaiton) near (api or interface or dll or librар\$3))	4	<u>L63</u>
<u>L62</u>	((disconnect\$3 near (application or program or module)) and (register\$6 near (api or interface or dll or librар\$3)))	21	<u>L62</u>
<u>L61</u>	((disconnect\$3 near (application or program or module)) with (register\$6 near (api or interface or dll or librар\$3)))	0	<u>L61</u>
<u>L60</u>	register\$5 near (api or interface or dll or librар\$3) near pointer	6	<u>L60</u>
<u>L59</u>	disconnect\$3 adj (application or module or program) with activeX	2	<u>L59</u>
<u>L58</u>	cookie with (regist\$6 near (api or interface or dll or librар\$3))	10	<u>L58</u>

<u>L57</u>	plac\$6 near (pointer) and disconnect\$3 near (application or program or module)	14	<u>L57</u>
<u>L56</u>	plac\$6 near (handle or pointer) and L55	57	<u>L56</u>
<u>L55</u>	register\$5 near (api or interface or dll or librар\$3)	6295	<u>L55</u>
<u>L54</u>	plac\$5 near (handle or pointer) and L51	4	<u>L54</u>
<u>L53</u>	activeX and L51	32	<u>L53</u>
<u>L52</u>	((activeX or disconnect\$3) near (application or program or module)) and L51	32	<u>L52</u>
<u>L51</u>	global\$2 near register\$5 with (api or interface or dll or librар\$3)	147	<u>L51</u>
<u>L50</u>	plac\$5 near (handle or pointer) near (api or interface)	4	<u>L50</u>
<u>L49</u>	plac\$5 near (handle or pointer) near (api or interface) with table	3	<u>L49</u>
<u>L48</u>	disconnect\$3 near (application or program or module) near communicat\$3	14	<u>L48</u>
<u>L47</u>	L41 and L46	21	<u>L47</u>
<u>L46</u>	register\$4 near (api or dll or librар\$3 or interface)	6292	<u>L46</u>
<u>L45</u>	L41 and L44	3	<u>L45</u>
<u>L44</u>	register\$4 near (api or dll or librар\$3 or interface) with table	252	<u>L44</u>
<u>L43</u>	activex and L41	35	<u>L43</u>
<u>L42</u>	L39 and L41	3	<u>L42</u>
<u>L41</u>	disconnect\$3 near (application or program or module)	2588	<u>L41</u>
<u>L40</u>	activeX and L39	3	<u>L40</u>
<u>L39</u>	bridge adj object	190	<u>L39</u>
<u>L38</u>	((com near (object or component)) or (activex near control)) and L36	27	<u>L38</u>
<u>L37</u>	(com near (object or component)) or (activex near control) and L36	8055	<u>L37</u>
<u>L36</u>	(disconnected or off\$1line) with web near browser	157	<u>L36</u>
<u>L35</u>	(disconnect\$3 or off\$1line) and L33	107	<u>L35</u>
<u>L34</u>	(disconnect\$3 or off\$1line) near (application or process or program or module) and L33	8	<u>L34</u>
<u>L33</u>	cookie and L32	256	<u>L33</u>
<u>L32</u>	(com near (object or component)) or (activex near control) and interface adj table	8045	<u>L32</u>
<u>L31</u>	global\$2 adj interface adj table	3	<u>L31</u>
<u>L30</u>	(disconnect\$3 or off\$1line) with activex adj control	20	<u>L30</u>
<u>L29</u>	(disconnect\$3 or off\$1line) near (application or process or program or module) with activex adj control	2	<u>L29</u>
<u>L28</u>	L18 and L27	8	<u>L28</u>
<u>L27</u>	(disconnect\$3 or off\$1line) near (application or process or program or module) and (com near (object or component) or activex)	145	<u>L27</u>
<u>L26</u>	(disconnect\$3 or off\$1line) with (com near (object or component) or activex)	48	<u>L26</u>
<u>L25</u>	(disconnect\$3 or off\$1line) with (com or activex)	4986	<u>L25</u>
<u>L24</u>	(disconnect\$3 or off\$1line) near (application or process or program or module) with (com or activex)	5	<u>L24</u>
<u>L23</u>	L18 and L22	20	<u>L23</u>

<u>L22</u>	communicat\$3 near (disconnect\$3 or off\$1line)	3918	<u>L22</u>
<u>L21</u>	pointer near table and L20	4	<u>L21</u>
<u>L20</u>	(activex or com) and L16	416	<u>L20</u>
<u>L19</u>	L18 and L16	9	<u>L19</u>
<u>L18</u>	register\$6 near (interface or api)	5456	<u>L18</u>
<u>L17</u>	L12 and L16	2	<u>L17</u>
<u>L16</u>	communicat\$3 near between with (disconnect\$3 or off\$1line)	2671	<u>L16</u>
<u>L15</u>	(activex or com) and L14	58	<u>L15</u>
<u>L14</u>	register\$6 near pointer with table	552	<u>L14</u>
<u>L13</u>	cookie and L12	52	<u>L13</u>
<u>L12</u>	((interface or api) adj table)	1305	<u>L12</u>
<u>L11</u>	L8 and L10	7	<u>L11</u>
<u>L10</u>	((interface or api) near table)	2139	<u>L10</u>
<u>L9</u>	project near host\$3 and L8	2	<u>L9</u>
<u>L8</u>	((disconnect\$3 or off\$1line) near (application or prgram or module))	3032	<u>L8</u>
<u>L7</u>	(activex or com) and L6	24	<u>L7</u>
<u>L6</u>	register\$6 near (interface or api) with (cookie or table)	229	<u>L6</u>
<u>L5</u>	cookie near table	38	<u>L5</u>
<u>L4</u>	(generat\$3 or creat\$3 or instantiat\$3) near (bridge near (object or agent or module))	27	<u>L4</u>
<u>L3</u>	l1 and L2	32	<u>L3</u>
<u>L2</u>	activex near control or com near (object or component)	10690	<u>L2</u>
<u>L1</u>	(disconnected or offline) near application	460	<u>L1</u>

END OF SEARCH HISTORY